

## TSS buffer

- For 50 ml:
  - 5 g PEG 8000
  - 1.5 ml 1M  $\text{MgCl}_2$  (or 0.30 g  $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$ )
  - 2.5 ml DMSO
  - Add LB to 50 ml
  - Store at 4°C or -20°C

